

Грили электрические PS, RIND, URI

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: rtq@nt-rt.ru || сайт: <https://resto.nt-rt.ru/>

Caratteristiche

Griglie elettriche a contatto con piastra in ghisa rigata appositamente trattata per facilitare la pulizia, autobilanciamento della piastra superiore, molle in acciaio, impugnatura in materiale termoisolante, termostato di regolazione con interruttore rotativo incorporato.

Features

Electric contact grills with cast iron grooved plate with special treatment for an easy cleaning, autobalanced upper plate with steel springs, heat-proof handles, adjustable thermostat with rotative switch built in.



PS 2010 RR



PS 2015 RR



PS 2020 RR



	PS 2010	PS 2015	PS 2020
DIMENSIONI DIMENSIONS	260x435x235	380x435x235	515x435x235
PIANO COTTURA COOKING SURFACE	250x255	355x255	500x255
ALIMENTAZIONE POWER SUPPLY	230	230	230
POTENZA POWER	1,55 KW	2,1 KW	3,0 KW
TEMPERATURA TEMPERATURE	300°	300°	300°
PESO WEIGHT	16 kg	22 kg	28 kg
DIMENSIONE IMBALLO PACKAGE DIMENSIONS	490x320x330	430x420x270	560x430x270

	COD
PS 2010 RR	7090111PS2010RR
PS 2010 LR	7090111PS2010LR
PS 2010 LL	7090111PS2010LL
PS 2015 RR	7090111PS2015RR
PS 2015 LR	7090111PS2015LR
PS 2015 LL	7090111PS2015LL
PS 2020 RR	7090111PS2020RR
PS 2020 LR	7090111PS2020LR
PS 2020 LL	7090111PS2020RL

RR 2 PIASTRE RIGATE - 2 STRIPED PLATES

LR 1 PIASTRA LISCIA INFERIORE E 1 PIASTRA RIGATA SUPERIORE
1 BOTTOM SMOOTH PLATE AND 1 HIGHER STRIPED PLATE

LL 2 PIASTRE LISCE - 2 SMOOTH PLATES

PIASTRA VETROCERAMICA | CERAMIC GLASS GRILL

Caratteristiche

- Struttura in acciaio inox
- Piano in vetroceramica di elevato spessore ad alta resistenza termica
- Ampia superficie utile di lavoro
- Piano superiore bilanciata e regolabile
- Elevatissima velocità di riscaldamento (300° C in 3 min. 1/2)
- Regolazione della temperatura con termostato in acciaio inox fino a 300° C
- Interruttore on/off con spia luminosa
- Cassetto estraibile di raccolta grassi, lavabile in lavastoviglie
- Raschietto di pulizia
- Basso consumo energetico grazie all'efficiente sistema riscadante e all'ottimo isolamento
- Disponibili nella versione CE

Features

- Stainless steel structure
- Thick glass ceramic plate for a higher heating resistance
- Large working surface
- Balanced upper plate with adjustable closing pressure
- Ultra high heating speed (300° C in 3 minutes and a half)
- Stainless steel thermostat to adjust the temperature up to max 300°C
- On/off switch with orange indicator light
- Removable crumb/drip tray washable in dishwasher
- Low Energy consumption thanks to the heating and insulation system
- Soft-touch ergonomic knob
- Available in the CE version



URI M

URI D

	URI M	URI D
DIMENSIONE PRODOTTO PRODUCT DIMENSIONS	410x480x210	640x480x210
PIANO COTTURA - COOKING SURFACE	280x380	280x585
ALIMENTAZIONE - POWER SUPPLY	230 V - 50 HZ	230 V - 50 HZ
POTENZA - MOTOR POWER	2,1 KW	3,2 KW
TEMPERATURA MAX - TEMPERATURE MAX	300°	300°
PESO - WEIGHT	13 KG	21,5 KG
DIMENSIONE IMBALLO - PACKING DIMENSIONS	500x500x270	730x500x290
COD.	7090111URIM	7090111URID

Fornite con piani lisci ma che su richiesta sono disponibili con piano superiore rigato
 Supplied with smooth floors but that on request are available with upper ribbed top

- Low energy consumption thanks to the efficient heating system and excellent insulation
- Available in CE version

Supplied with smooth tops but available with ribbed top on request



RIND 2.5

POWER
2.5 KW

FEEDING
1ph

USEFUL PLAN mm.
322x 270

NET WEIGHT
7.5KG

GROSS WEIGHT
9KG

PRODUCT DIMENSION mm.
320x 440 x 115

PACKING SIZE mm.
500x 370 x 180

COD. RIND
7090111RIND25



RIND 3.5

POWER
3.5 KW

FEEDING
1ph

USEFUL PLAN mm.
330x 270

NET WEIGHT
11KG

GROSS WEIGHT
12.5KG

PRODUCT DIMENSION mm.
340x 460 x 135

PACKING SIZE mm.
510x 380 x 200

COD. RIND
7090111RIND35



RIND 2.7 EXP

IMPORTED PRODUCT

POWER
2.7 KW

FEEDING
1ph

USEFUL PLAN mm.
280x 280

NET WEIGHT
4KG

GROSS WEIGHT
4.5KG

PRODUCT DIMENSION mm.
323x 370 x 105

PACKING SIZE mm.
360x 425 x 130

COD. RIND
7090111RIND27E



RIND 3.5 EXP

IMPORTED PRODUCT

POWER
3.5 KW

FEEDING
1ph

USEFUL PLAN mm.
280x 280

NET WEIGHT
5KG

GROSS WEIGHT
5.5KG

PRODUCT DIMENSION mm.
330x 425 x 105

PACKING SIZE mm.
385x 475 x 145

COD. RIND
7090111RIND35E



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: rtq@nt-rt.ru || сайт: <https://resto.nt-rt.ru/>